



HAWK
FloorCare

**User
Friendly.
Fast. A
Superior
Shine.**

Finish large areas quickly with these highly maneuverable high-speed burnishers.



**UL/CUL Approved
Machine
(1500 RPM Only)**

Hawk Preferred High Speed Burnishers

Thumb-lock safety switch prevents unintentional start-ups and allow operator to start machine with either hand.

Machine has a Negative Pressure ON/OFF Switch

Dual steel operating triggers for left or right hand operation

E-Z grip vinyl handle for operator comfort.

Extra heavy duty spring steel strain relief.

Welded heavy gauge chrome plated all-steel handle.

Variable position foot controlled cam-action handle lock.

DC rectified motor assures smooth running operation.

Heavy duty steel frame and brush cover for strength and durability.

Machine shown below with optional dust control system.



Dust containment system.



Dust filter is easy to remove for cleaning or replacement.

These 13", 15", 17", or 20", super-quiet, high-speed burnishers are available with or without dust control in 1000, 1500, 1800, or 2000 rpm speeds, and units. Remarkably easy to handle, they are the perfect choice for small and large areas.

Feature:

- Flexible pad holder
- 5" non-marking ball bearing wheels
- Pad centering clamp
- UL/CUL-Approved (1500 RPM only)
- Special colors available on request
- Private label and/or custom colors available at no extra cost with customer-supplied labels.

Technical Specifications

Model #	HP1513-1000	HP1515-1000	HP1517-1000	HP1517-1000DC	HP1520-1000	HP1520-1000DC
Part#	F1000-13	F1000-15	F1000-17	F1000-17DC	F1000-20	F1000-20DC
Pad Size	13 inch	15 inch	17 inch	16 inch	20 inch	19 inch
Power Source*	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz
Motor/HP	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified
Amp Draw	8.6	8.9	9.3	8.9	10.1	9.4
Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive
Pad RPM	1000	1000	1000	1000	1000	1000
Cord**	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO
Weight	84 lbs	86 lbs	88 lbs	90 lbs	90 lbs	92 lbs
Shipping Weight	97 lbs	99 lbs	101 lbs	104 lbs	103 lbs	106 lbs
Dust Control	No	No	No	Yes	No	Yes

*230V Available

** 75' Cord Available (14/3)

*** 100' Cord Available (12/3)

Model #	HP1513-HSB	HP1515-HSB	HP1517-HSB	HP1517-HSBDC	HP1520-HSB	HP1520-HSBDC
Part#	F1500-13	F1500-15	F1500-17	F1500-17DC	F1500-20	F1500-20DC
Pad Size	13 inch	15 inch	17 inch	16 inch	20 inch	19 inch
Power Source*	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz
Motor/HP	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified
Amp Draw	9.1	9.6	13.0	12.2	13.8	13.1
Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive
Pad RPM	1500	1500	1500	1500	1500	1500
Cord**	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO
Weight	84 lbs	86 lbs	88 lbs	90 lbs	90 lbs	92 lbs
Shipping Weight	97 lbs	99 lbs	101 lbs	104 lbs	103 lbs	106 lbs
Dust Control	No	No	No	Yes	No	Yes

Specifications subject to change without notice



Accessories:

Polish (Porko) Pads (5 Per Pack):

13" - A0025-13P

15" - A0025-15P

17" - A0025-17P

20" - A0025-20P

Technical Specifications (continued)

Model #	HP1513-1800	HP1515-1800	HP1517-1800	HP1517-1800DC	HP1520-1800	HP1520-1800DC
Part#	F1800-13	F1800-15	F1800-17	F1800-17DC	F1800-20	F1800-20DC
Pad Size	13 inch	15 inch	17 inch	16 inch	20 inch	19 inch
Power Source*	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz
Motor/HP	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified
Amp Draw	9.5	9.9	13.9	13.2	14.6	13.6
Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive
Pad RPM	1800	1800	1800	1800	1800	1800
Cord**	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO
Weight	84 lbs	86 lbs	88 lbs	90 lbs	90 lbs	92 lbs
Shipping Weight	97 lbs	99 lbs	101 lbs	104 lbs	103 lbs	106 lbs
Dust Control	No	No	No	Yes	No	Yes

*230V Available

** 75' Cord Available (14/3)

*** 100' Cord Available (12/3)

Model #	HP1513-2M	HP1515-2M	HP1517-2M	HP1517-2MDC	HP1520-2M	HP1520-2MDC
Part#	F2000-13	F2000-15	F2000-17	F2000-17DC	F2000-20	F2000-20DC
Pad Size	13 inch	15 inch	17 inch	16 inch	20 inch	19 inch
Power Source*	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz	115V 50/60Hz
Motor/HP	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified	66 Frame, 1-1/2 HP DC Rectified
Amp Draw	10	10.8	14.9	13.9	16.4	14.8
Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive	Multi-V Belt Drive
Pad RPM	2000	2000	2000	2000	2000	2000
Cord**	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO	50' 14-3 STO
Weight	84 lbs	86 lbs	88 lbs	90 lbs	90 lbs	92 lbs
Shipping Weight	97 lbs	99 lbs	101 lbs	103 lbs	103 lbs	105 lbs
Dust Control	No	No	No	Yes	No	Yes

Hawk Enterprises, Inc.
52744 Park Six Court
Elkhart, IN 46514
(888) 289-4295 Phone
(574) 294-1910 Phone
(866) 429-5329 Fax
(574) 970-0289 Fax

Made in the USA

www.hawkenterprises.com
E-Mail: tkershner@hawkenterprises.com

Distributed By:



Accessories:

Polish (Porko) Pads (5 Per Pack):

13" - A0025-13P
15" - A0025-15P
17" - A0025-17P
20" - A0025-20P